

DL7VWH2 - Status: OLSR - Windows Internet Explorer

http://104.18.0.2/cgi-bin-status.html

DL7VWH2 - Status: OLSR

Home | Verwalten

freifunk.firmware

v1.2.5

Inhalt

- Status
- Kontakt

Status: Übersicht

Übersicht | Routen | WLAN Scan | OLSR-Info

IP Adresse: IP: 104.18.0.2, Maske: 255.0.0.0, MAC: 00:14:bf:a5:5e:d3

WLAN-Status: SSID: "olsr.freifunk.net" Mode: Ad Hoc RSSI: 0 dBm noise: 0 dBm Channel: 10 BSSID: 02:CA:FF:EE:BA:BE Capability: IBSS Supported Rates: [1(b) 2(b) 5.5(b) 6 9 11(b) 12 18 24 36 48 54]

Gerätelaufzeit: 12:10:00 up 10 min, load average: 0.00, 0.00, 0.00

Geräteinfo: Boardtype: 0x0467, Boardnum: 42

Nachbarn:	IP	Hysteresis	LinkQuality	lost	total	NLQ	ETX
	104.31.0.1	0.00	0.84	16	100	0.00	0.00
	104.18.0.1	0.00	1.00	0	100	0.98	1.02

Kernel-Log: [Ein- / Ausblenden](#)

System-Log: [Ein- / Ausblenden](#)

IP-NAT: [Ein- / Ausblenden](#)

Schnittstellen-Konfiguration: [Ein- / Ausblenden](#)

NVRAM-Konfiguration: [Ein- / Ausblenden](#)

Aktive Verbindungen: [Ein- / Ausblenden](#)

Stand: 12.4.2006

Seitenanfang

Fertig

Internet | Geschützter Modus: Aktiv

100%

DL7VWH - Status: OLSR - Windows Internet Explorer

http://104.18.0.1/cgi-bin-status.html

DL7VWH - Status: OLSR

Home | Verwalten

freifunk.firmware

v1.2.5

Inhalt

- Status
- Kontakt

Status: Übersicht

Übersicht | Routen | WLAN Scan | OLSR-Info

IP Adresse: IP: 104.18.0.1, Maske: 255.0.0.0, MAC: 00:14:bf:a5:5e:d0

WLAN-Status: SSID: "olsr.freifunk.net" Mode: Ad Hoc RSSI: 0 dBm noise: 0 dBm Channel: 10 BSSID: 02:CA:FF:EE:BA:BE Capability: IBSS Supported Rates: [1(b) 2(b) 5.5(b) 6 9 11(b) 12 18 24 36 48 54]

Gerätelaufzeit: 19:16:34 up 5 days, 7:16, load average: 0.19, 0.13, 0.06

Geräteinfo: Boardtype: 0x0467, Boardnum: 42

Nachbarn:	IP	Hysteresis	LinkQuality	lost	total	NLQ	ETX
	104.30.0.1	0.00	0.21	21	27	0.43	11.31
	104.18.0.2	0.00	0.97	3	100	1.00	1.03
	104.31.0.1	0.00	1.00	0	100	0.98	1.02

Kernel-Log: [Ein- / Ausblenden](#)

System-Log: [Ein- / Ausblenden](#)

IP-NAT: [Ein- / Ausblenden](#)

Schnittstellen-Konfiguration: [Ein- / Ausblenden](#)

NVRAM-Konfiguration: [Ein- / Ausblenden](#)

Aktive Verbindungen: [Ein- / Ausblenden](#)

Stand: 12.4.2006

Seitenanfang

Fertig

Internet | Geschützter Modus: Aktiv

100%

DL7VWH - Status: OLSR - Windows Internet Explorer

http://104.18.0.1/cgi-bin-status.html

DL7VWH - Status: OLSR

Home | Verwalten

freifunk.firmware

v1.2.5

Inhalt
Status
Kontakt

Status: WLAN Scan

Übersicht	Routen	WLAN Scan	OLSR-Info			
SSID	Kanal	Ad-Hoc	Open	Signal	Max.	BSSID
olsr.freifunk.net	10	✓	✓	48	B2:24:35:96:A4:9C	
olsr.freifunk.net	10	✓	✓	48	F2:65:A5:41:A0:E5	
olsr.freifunk.net	10	✓	✓	48	02:CA:FF:EE:BA:BE	
Sitecom	11	✗	✓	54	00:0C:F6:1A:EE:27	
FRITZ!Bo	1	✗	✗	54	00:15:0C:05:3D:FD	
FRITZ!Bo	6	✗	✗	54	00:15:0C:9D:3D:65	
Speedpor	6	✗	✓	54	00:15:0C:BE:20:D3	
TESTSERVER	7	✗	✗	48	00:14:BF:3D:4E:A4	

Stand: 12.4.2006

Seitenanfang

Fertig

Internet | Geschützter Modus: Aktiv

100%

Variables

Main address: 104.18.0.1	IP version: 4	Debug level: 0
Pollrate: 0.10	TC redundancy: 2	MPR coverage: 7
Fisheye: Enabled	TOS: 0x0010	Willingness: 3
Hysteresis: Disabled	Hyst scaling: 0.50	Hyst lower/upper: 0.30/0.80
LQ extention: Enabled	LQ level: 2	LQ winsize: 100

Interfaces

eth1		
IP: 104.18.0.1	MASK: 255.0.0.0	BCAST: 104.255.255.255
MTU: 1472	WLAN: Yes	STATUS: UP

Olsrd is configured to run even if no interfaces are available

Plugins

Name	Parameters
olsrd_httpinfo.so.0.1	
olsrd_nameservice.so.0.2	

OLSR routes in kernel

Destination	Gateway	Metric	ETX	Interface	Type
104.31.0.1	104.31.0.1	1	2.11	eth1	HOST
104.30.0.1	104.31.0.1	2	2.11	eth1	HOST
104.18.0.2	104.18.0.2	1	1.03	eth1	HOST

Links

Local IP	remote IP	Hysteresis	LinkQuality	lost	total	NLQ	ETX
104.18.0.1	104.30.0.1	0.00	0.12	88	100	0.41	20.43
104.18.0.1	104.18.0.2	0.00	0.97	3	100	1.00	1.03
104.18.0.1	104.31.0.1	0.00	0.98	2	100	0.96	1.07

Neighbors

IP address	SYM	MPR	MPRS	Willingness	2 Hop Neighbors
104.31.0.1	YES	YES	YES	3	<input type="text"/> (1)
104.30.0.1	YES	NO	YES	3	<input type="text"/> (1)
104.18.0.2	YES	NO	YES	3	<input type="text"/> (0)

Topology entries

Destination IP	Last hop IP	LQ	ILQ	ETX
104.30.0.1	104.31.0.1	0.99	0.97	1.04
104.18.0.1	104.31.0.1	0.98	0.96	1.07
104.31.0.1	104.30.0.1	0.97	0.99	1.04
104.18.0.1	104.30.0.1	0.17	0.29	20.24
104.18.0.1	104.18.0.2	0.97	1.00	1.03

